Amneal Pharmaceuticals Pvt. Ltd. Safety Data Sheet

I. FRODUCT AND CO	MPANY IDENTIFICATION	
Product Information		
Product name	Injection (10 or 40 mg/ml)	
Version	0.0, 03/15/2016	
Jurisdiction	This Safety Data Sheet was prepared for the jurisdiction USA.	
Active substance	Triamcinolone Acetonide	
Synonyms	Sterile Triamcinolone 0Acetonide Suspension USP; Kenalog-10 Injection; Kenalog-40 Injection	
Product Uses	This material is a finished drug product for patient use. This material is used to provide relief of inflammatory and pruritic skin conditions.	
Company/Undertaking I	dentification	
Address	PHARMACEUTICALS	
	Amneal Pharmaceuticals Pvt. Ltd. New Jersey United States of America	
Emergency Phone Number	91-2714-671600 For all international transportation emergencies call Collect calls accepted.	

2. HAZARDS IDENTIFICATION Emergency Overview liquid : white to off-white, suspension Appearance Signal Word Warning! Hazard Statements Teratogen May be harmful to fetus. Reproductive toxicant Target Organs: adrenal glands, bone, muscle, gastrointestinal tract, immune system, eyes, nervous system, skin, female reproductive organs, (embryo/fetus). Avoid ingestion, inhalation, skin and eye contact. Wash hands after Precautionary Measures handling to minimize exposure. Wear suitable protective clothing and gloves. Pregnant or nursing women should avoid exposure. Prevent release to the environment. Potential Health Effects Eyes Possible mild eye irritant Skin Rapidly absorbed through skin., Repeated exposure may cause skin dryness or cracking., May be harmful if absorbed through skin. Ingestion May cause damage to organs through prolonged or repeated exposure if swallowed. Inhalation May cause damage to organs through prolonged or repeated exposure if inhaled. Target Organs adrenal glands, bone, muscle, gastrointestinal tract, immune system, eyes, nervous system, skin, female reproductive organs, (embryo/fetus)

2. HAZARDS IDENTIFICATION (continued)

Signs and Symptoms	Chronic: muscle weakness, muscle pain, bone fractures, infection, oedema, headache, difficulty sleeping, vertigo, restlessness, euphoria, mental disturbance, depression, anxiety, mood changes, seizure disorders, nosebleeds, cough, fever, nausea, vomiting, anorexia, gastrointestinal disturbance, sore throat, dry mouth, taste disturbance, speech difficulty, congestion, redness and swelling of eyes, vision changes, facial swelling, skin thinning, acne, redness and swelling of skin, hives, bruising, superficial burning sensation, tingling.
Medical conditions aggravated include:	diabetes, Liver disorders, infection, immunodeficiency, hypertension, myasthenia gravis, osteoporosis, peptic ulcer, psychotic disorders, colitis, kidney disorders
Environmental Effects	Refer to Section 12

3. COMPOSITION/INFORMATION ON INGREDIENTS			
Components	Concentration	CAS-No.	
Hazardous components			
Triamcinolone Acetonide	1 - 4 %	76-25-5	
Other ingredients			
Water	90 - 100 %	7732-18-5	
Sodium Carboxymethylcellulose	<1 %	9004-32-4	
Tween 80	<1 %	9005-65-6	
Benzyl alcohol	<1 %	100-51-6	
Hydrochloric acid	<1 %	7647-01-0	
Sodium Chloride	<1 %	7647-14-5	
Sodium Hydroxide	<1 %	1310-73-2	

Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention. Wash contaminated clothing before re-use.
Inhalation	Move to fresh air. Oxygen or artificial respiration if needed. Obtain medical attention.
Ingestion	Do NOT induce vomiting. Consult a physician if necessary. Never give anything by mouth to an unconscious person.
Notes to physician	This material is a finished drug product for patient use. This material is used to provide relief of inflammatory and pruritic skin conditions. This product may cause: muscle weakness, muscle pain, bone fractures, infection, oedema, headache, difficulty sleeping, vertigo, restlessness, euphoria, mental disturbance, depression, anxiety, mood changes, seizure disorders, nosebleeds, cough, fever, nausea, vomiting, anorexia, gastrointestinal disturbance, sore throat, dry mouth, taste disturbance, speech difficulty, congestion, redness and swelling of eyes, vision changes, facial swelling, skin thinning, acne, redness and swelling of skin, hives, bruising, superficial burning sensation, tingling, increase in blood pressure, Cushing's syndrome, electrolyte disturbance, hyperglycemia, adrenocortical insufficiency, withdrawal symptoms, osteoporosis, bone effects, menstrual irregularities, sperm abnormalities, cataracts, glaucoma, nose changes, otitis, peptic ulcer, psychotic disorders, pancreatitis, changes in white blood cell parameters. Organs effected may include: adrenal glands, bone, muscle, gastrointestinal tract, immune system, eyes, nervous system, skin, female reproductive organs, (embryo/fetus

www.amneal.com

4 FIRST AID MEASU	A., FIRST AID MEASURES (continue)		
Notes to physician	Medical conditions aggravated include: diabetes, Liver disorders, infection, immunodeficiency, hypertension, myasthenia gravis, osteoporosis, peptic ulcer, psychotic disorders, colitis, kidney disorders. This product has been reported to interact with the following medications: diuretic, cyclosporine, immunosuppressants, NSAID (non-steroidal antiinflammatory drugs), drug metabolized by cytochrome P- 450, drugs that cause hyperglycemia, oral hypoglycemic drugs, neuromuscular blocking agents, fluoroquinoline antibiotics, certain vaccines, drugs that inhibit cytochrome P- 450. Refer to Section 11. Pregnant or nursing women should avoid exposure.		
Medical Surveillance	A pre-placement physical examination and history for employees with potential exposure to this compound is recommended. Baseline testing would include: Pre- placement:, blood glucose test, a complete blood count with differential. Based on opportunity for exposure and duration of exposure a periodic follow-up examination may be considered. Employees, who are pregnant, are breast-feeding, or who are concerned with other reproductive issues should be encouraged to consult with the occupational health physician monitoring worker's health.		

5. FIRE-FIGHTING MEASURES		
Flammable Properties	Not available	
Extinguishing Media	Suitable extinguishing media: Dry chemical, Water spray, Foam	
	Unsuitable extinguishing media: Do NOT use water jet.	
Protection of Firefighters	 Specific hazards: Teratogen skin absorption hazard Protective equipment: Use personal protective equipment. In the event of fire, wear self-contained breathing apparatus. Hazardous Combustion Products: carbon oxides, hydrogen halides 	
Other information:	Decontaminate protective clothing and equipment before reuse. Heating can release hazardous gases. HCl gas can form flammable or explosive mixtures with alcohols or metals.	

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Refer to protective measures listed in sections 7 and 8. Use personal protective equipment. Examples include tightly fitting safety goggles, disposable lab coat of low permeability with cuffs, double gloves and shoe covers. Wear respiratory protection. Depending on the nature of the spill (quantity and extent of spill) additional protective clothing and equipment such as a self-contained breathing apparatus may be needed.
Environmental precautions	Prevent release to drains and waterways. Prevent release to the environment.
Containment Methods	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Cleanup Methods	Contain and collect spillage and place in container for disposal according to local regulations (see Section 13). Clean spill area with a deactivating solution (if available) followed by detergent and water after spill pick-up. Handle waste materials, including gloves, protective clothing, contaminated spill cleanup material, etc., as appropriate for chemically and pharmacologically similar materials.

7. HANDLING AND ST	ORAGE			
Storage Conditions		perature. (20 - 25°C)	Protect against light. A	void freezing.
Container Requirements	Store in sturdy con intended use.	ntainers appropriate to m	aintain the integrity of t	his material for its
8. EXPOSURE CONTR	OLS / PERSONAL	PROTECTION		
Exposure limit(s)	Company Guideline	ACGIH	OSHA	NIOSH
Triamcinolone - Acetonide	1 μg/m3 (Skin), Development Toxicity	al		-
Benzyl alcohol				
Sodium Hydroxide		2 mg/m3 Ceiling	2 mg/m3 TWA	2 mg/m3 Ceiling 10 mg/m3 IDLH
Hydrochloric acid		2 ppm Ceiling	5 ppm Ceiling 7 mg/m3 Ceiling	5 ppm Ceiling 7 mg/m3 Ceiling 50 ppm IDLH
Exposure Control Band	4 '	mcinolone Acetonide The established company rol Band 4 (range 1 -20		ls within Exposure
Bristol-Myers Squibb E Guidelines Summary	Mate	ncinolone Acetonide erials require particular c eline should protect emp or adverse effects of this	oloyees from experiencir	
Recommended Industria Monitoring Methods	Labo	act the Bristol-Myers Sq pratory at 732-227-7368. mation on medical surve	See Section 4 "Notes t	ndustrial Hygiene o Physician" for
Engineering Controls an	d Whe	n handling small quantit		good room

Ventilation	ventilation is desirable. Specific engineering controls should not be needed. When handling larger quantities, such as in a manufacturing setting, ensure worker exposure is below the recommended exposure limit. If significant aerosol (mist) is generated, use process enclosures, containment technology, or other engineering controls to keep airborne levels below recommended exposure limit.
Respiratory protection	Respiratory protection is not required for normal use of this material. If the occupational exposure limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL. Note: May cause damage to organs through prolonged or repeated exposure if inhaled.
Eye protection	Chemical splash resistant goggles should be worn when potential for splash exists.
Hand protection	Impervious nitrile, rubber and latex gloves are recommended. Please note that employees who are allergic to natural rubber latex should use nitrile gloves.
Skin and body protection	It is recommended that a laboratory coat be worn when handling product.
Hygiene	Wash hands before breaks and immediately after handling the product.

www.amneal.com

ppearance	
Physical State	liquid
Color	white to off-white
Form	suspension
Descriptive properties	
Molecular Weight	Not available
Molecular formula	Not applicable
Bulk density	Not available
Evaporation rate	Not available
Hydrolysis/Photolysis	Not available
Hygroscopicity	Not available
Log Octanol/Water Partition	Not available
Coeff [log Kow]	
Surface Tension	Not available
Odor	Not remarkable.
Odor Threshold	Not available
pН	5 - 7
pKa	Not available
Particle Size	Not available
Solubility, Water	S oluble
Specific Gravity/ Relative densit	y 1.015
Viscosity	similar to water
hermal/Stability properties	
Autoignition temperature	Not available
Boiling Point	100 °C
Thermal decomposition	Not available
Explosive Limits, LEL	Not available
Explosive limits, LEL	Not available
Explosiveness	Not available
Flammability	Not available
Flash point	Not available
Melting Point	0 °C
Oxidizing Potential	Not available
apor Properties	
Vapor Density	(Air =1): If adequate temperatures caused material to volatize, its vapor
upor Density	density would be much greater than 1. (Heavier than air)
Vapor Pressure	Not available

Saturated Vapor Concentration	Not available
10. STABILITY AND REACTIVITY	
Stability	
Chemical Stability	Stable under normal conditions.
Conditions to avoid	Not available
Incompatible products	Not available
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions.: carbon oxides, hydrogen halides
Hazardous reactions	Not available
Sensitivity to static discharge/Dust	exp.
Summary Statements	not applicable

Routes of Entry	Ingestion, Inhalation, Eye contact, Skin contact
Eye irritation	Triamcinolone Acetonide Possible mild eye irritant
Skin irritation	<u>Triamcinolone Acetonide</u> Repeated exposure may cause skin dryness or cracking. skin thinning
Respiratory Irritation	Triamcinolone Acetonide May cause irritation of respiratory tract.
Sensitisation	<u>Triamcinolone Acetonide</u> Not a dermal sensitizer Allergic contact dermatitis is quite rare but has been reported.
Acute Toxicity Study	Acute Oral <u>Triamcinolone Acetonide</u> Oral LD50(mouse): 5,000 mg/kg
	Acute toxicity (other routes of administration) <u>Triamcinolone Acetonide</u> LD50 (rat, subcutaneous): 13.1 mg/kg LD50 (mouse, subcutaneous): 132 mg/kg LD50 (mouse, Intraperitoneal): 105 mg/kg
Repeated dose toxicity	Triamcinolone AcetonideAssessment Repeat Dose ToxicitySeveral studies were conducted. Results from these studies in multiple species were generally similar with respect to target organs and effects. See Section 11 Target Organs and Symptoms for a description of effects.
Genetic Toxicity	Triamcinolone Acetonidein vitroAmes reverse-mutation assay negativeForward gene mutation assay negativeMutagenicity AssessmentSeveral studies were conducted. The weight of evidence demonstrates that this material is not genotoxic.
Carcinogenicity	Triamcinolone Acetonide 104 Weeks Oral rat study : [tumor organs: liver] positive 104 Weeks Oral rat study : NOAEL = 0.001 mg/kg No treatment-related tumors were observed. 104 Weeks Oral mouse study : NOAEL = 0.003 mg/kg No treatment-related tumors were observed. 104 Weeks Oral mouse study : NOAEL = 0.003 mg/kg No treatment-related tumors were observed. Carcinogenicity Assessment Several studies were conducted. The results were negative and positive. Not classifiable as to its carcinogenicity to humans.

Carcinogenicity	ACGIH	OSHA	NTP	IARC			
Triamcinolone Acetonide							
Reproductive Toxicity	Triamcinolone AcetonideAssessment Reproductive ToxicitySeveral studies were conducted. May impair fertility. Maternal effects include: menstrual irregularities . Paternal effects include: sperm abnormalities See "Human Experience". See also "Developmental Toxicity" for information on reproductive effects.						
Developmental Toxicity	Triamcinolone AcetonideDevelopmental Toxicity AssessmentSeveral developmental studies were conducted. Birth defects were observed in animalstudies. Compound may be toxic during early embryonic development. TeratogenThis compound and/or its metabolites may be excreted into the milk. May cause harmto breastfed babies.						
Human experience Ex	fractures, infe euphoria, men disorders, nos		he, difficulty sleeping ssion, anxiety, mood c nausea, vomiting, ano	, vertigo, restlessness, hanges, seizure rexia, gastrointestinal			
Target Organs	<u>Triamcinolone Acetonide</u> adrenal glands, bone, muscle, gastrointestinal tract, immune system, eyes, nervous system, skin, female reproductive organs						
Symptoms	<u>Triamcinolone Acetonide</u> See "Human Experience".						
Other Toxicity Information	Not available						
Other Information:	This MSDS may contain toxicological and/or pharmacological information derived from either the specified product or from compounds in the same pharmacological class.						

12. ECOLOGICAL INFORMATION **Ecotoxicological Information (Aquatic)** Acute Toxicity to Aquatic Invertebrates Triamcinolone Acetonide EC50 (Daphnia magna, 48 H) :> 100 mg/l **Ecotoxicological Information (Terrestrial)** Not available **Chemical fate information Biodegradation** Triamcinolone Acetonide Ultimate aerobic biodegradation (28 D) : 3 % ; Not Readily Biodegradable - unlikely to undergo rapid biodegradation in the environment **Summary Statements** Aquatic toxicity Experimental data indicate low potential for acute harm to aquatic invertebrates **Chemical Fate** Not readily biodegradable. 13 DISPOSAL CONSIDERATIONS

13. DISPUSAL CONSIDERATIONS	
Advice On Disposal And Packaging	Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements. This information presented only applies to the material as supplied.
Other information	Disposal by incineration is recommended.

14. TRANSPORT INFORMATION

This material is not a dangerous good for the purpose of transportation.

United States of America			
OSHA Hazard Classification	Teratogen, Target Organs.		
313 Toxic Release Inventory. Listed Chemicals/Compounds	No components listed on the SARA 313 inventory.		
TSCA Inventory	Not listed. Food, drug and cosmetic products are exempt from TSCA.		
International			
Canada			
WHMIS	 This product is not regulated under the Hazardous Products Act and Controlled Products Regulations. This product, however, may have significant health hazard and could meet the criteria for: D2A Very Toxic Material Causing Other Toxic Effects 		
DSL/NDSL	yes		
Mexico			
Mexico Classification	Health classification - Serious Hazard - 3 - Substances that can cause serious or permanent harm under emergency conditions		
Europe			

15. REGULATORY INFORMATION (continued)				
EINECS/ELINCS Number	Triamcinolone Acetonide: 200-948-7 Water: 231-791-2 Benzyl alcohol: 202-859-9 Sodium Chloride: 231-598-3 Sodium Hydroxide: 215-185-5 Hydrochloric acid: 231-595-7			
R-phrase(s)	Medicinal products are exempt from classification and labeling requirements under EU Preparations Directive 1999/45/EC.			

MSDS preparation information						
Prepared by	Corporate Quality, Environmental Health & Safety 1-732-227-7380					
Prepared on	02/15/2016					
	This Safety Data Sheet has been revised. This MSDS has been reformatted in a new electronic system. This data sheet contains changes					
	from the previous version in section(s): All.					
HMIS	Health		2*			
	Flammability		Not Determined (ND)			
	Reactivity		Not Determined (ND)			
	Personal protective equipment		See Section 8.			
NFPA						
	Health	2				
	Fire	ND	N	ND		
	Reactivity	ND				
	Special	ND	2	ND		
			N	D		
				-		
	(CDC '. 1. 1' 1.	1		· · · · · · · · · · · · · · · · · · ·		
The information contained in this M	ISDS is believed t	to be accurate and repres	ents the best i	information		

End of Safety Data Sheet

